



BRIQUETTING SYSTEMS
 EXTRACTION SYSTEMS
 ENGINEERING SERVICES
 METAL CUTTING MACHINERY
 RECYCLING MACHINERY
 SPRAY BOOTHS
 WOODWORKING MACHINERY
 WASTE SHREDDERS

NPL
 Unit 20 Edgar Industrial Estate
 Carryduff
 BT8 8AN

Tel 02890 817704
 Fax 02890 817705
 Web www.napoleonproductsltd.com

USED EQUIPMENT DATA SHEET

431

EQUIPMENT TYPE Weld Fume Extraction Unit (Mobile)
Ex Showroom Demonstrator (un-used)
 MAKE FERCELL
 MODEL FAC/T
 SERIAL NO NPL431/ 03-0000
 YEAR MF 2005
 VOLTAGE 150V Single phase
 DIMENSIONS MAX 900mm L x 730mm W x 2400mm (max) H
 WEIGHT APPROX 180Kg

SPECIFICATION Fan inlet diameter 150 mm
 This fully mobile extraction unit, robustly constructed in steel is suitable for the separation of oily fumes. Based on a dry filter principle the polluted air is taken in via the adjustable jointed arm to a steel spark proof pre-filter. Finally a rigid pocket filter with 85% efficiency eliminates fine dust particles and oily fumes, complete with an in built hour meter maintenance periods can be accurately calculated.

EQUIPMENT CONDITION **New** Un-Used EX Showroom Demonstrator
 WARRANTY 12 Months See Used Equipment Terms Of sale

USED PRICE

Need a quotation? E-mail info@napoleonproductsltd.com listing the used machinery number.

IMAGE



Images used may be library images, you can view the equipment if required on appointment.

Terms For Used Equipment

01/02/2007

Quotations are valid for used equipment while in stock.

Delivery

At time of quoting, delivery will be ex stock from receipt of payment in full.

Carriage

Excluded.

NPL will quote for delivery if requested on advice of your address.

Mechanical Installation

Excluded.

Electrical Installation

Excluded.

Warranty (Used Equipment)

Subject to payment as specified below, a 12 month warranty will apply to Parts only excluding labour and is based on the following: -

That the equipment has a maximum of 10 hours operation time per working day, based on a maximum of 5 days per week.

That the equipment is returned to Napoleon Products Ltd for inspection and repair.

Exclusions

Generally as per the "Exclusions from Contract".

Terms of Payment

Payment is required in full with an official purchase order please.

Payment Types

Cheques are to be made out to NPL and must clear banking procedures before goods can be shipped or collected.

Credit Cards most major types are accepted, an additional 3% charge will be added to the total cost of goods to cover credit charges.

Price Validity

Quotations are valid for used equipment while in stock.

Exclusions from Contract

Off-loading on site and heavy lifting equipment, which may be required to locate the equipment at its installation point.

A level concrete surface upon which to commission the machinery will be required.

Any access equipment, which may be required, i.e., access towers, roof crawler boards, ladders, booms and cherry pickers etc. Any special safety equipment, which may be required to conform to local hazardous conditions.

Mains water pipe installations and connection. **Please note:** This only applies to quotations for water-wash spray booths and waste burning heating systems.

Electrical switchgear (unless specified otherwise by the contract).

When Electrical Switchgear is Provided.

The mounting of the electrical control panel, providing an HRC fused mains isolator (to protect mains cables) and all electrical wiring is EXCLUDED from the quotation, unless as specified otherwise in the quotation.

It is the responsibility of the customer to appoint only an Approved N.I.E.E.I.C. Contractor to carry out the electrical installation in accordance with current I.E.E. Wiring Regulation. A "Certificate of Inspection and Completion" should be obtained from the Contractor and a copy of the same should be sent to this office to ensure validation of warranty. Failure to submit "Certificate of Inspection and Completion" within 7 days of completion will automatically invalidate warranty to all electrical powered items and switch gears.

An approved Contractor must connect to our equipment precisely in accordance with the wiring diagram which will be provided by us (only where we provide a control panel), they must calibrate overload settings and stand by at start-up and monitor amperage loadings to ensure that all components operate within their rated capacity. Although the overloads provided have "single phasing" detection at initial start-up, the contractor should check that all three phases are good to avoid damage to the motor windings (ratings shown on motor data plate).

Failure to comply with any of the above invalidates all electric motor and electric control panel warranties.

Any building or civil engineering work i.e., cutting away, brickwork, roofing work, structural alterations and returning same to weatherproof condition is excluded, unless as specifically agreed by the contract in writing.

Any welding which may be required will be done as the purchaser's responsibility and must be covered by their insurance.

Any deviation from the above exclusions must be agreed to in writing and signed by both parties.

All generally as per our terms and conditions of sale, enclosed with the quotation.

All necessary planning consents, if applicable, are the responsibility of the purchaser, and should be obtained from all authorities and property owners, prior to and before any work are carried out.

It is the Client's Responsibility to Ensure:

Site is clear of all obstructions prior to commencement of work. Failure to adhere to this could incur additional costs.

That all existing plant and components are suitable for the required application. Therefore, no guarantee can be given to the operational effectiveness of the above quoted equipment, when used in conjunction with existing plant and components (e.g. fans, ducting, valves and control gear).